

Product specifications:

Analog connected quartz movement

Caliber L247

Movement diameter 24.2mm; 10 $\frac{3}{4}$ "

Battery life 24 months*

Center hand-fitting Height 1

Origin Swiss Made

Jewels 0 (zero)

Reduced consumption in transport and presentation mode
(consumption reduction of about 70%).

* The estimated battery life is based on typical usage conditions with standard option settings. It may vary depending on the usage.

Technical specifications:

Diameter	24.7mm
Fitting	24.2mm; 10 ¾"
Movement height	6.4mm
Push-piece height	2.45mm
Battery reference	CR2032
Battery life	2 years
Battery voltage	3V
Current consumption – average	16µA
Current consumption – maximum	2-3mA
Operating temperature	0-50°C
Maximum running deviation	±1.7 sec/day
Step Variability	±6°/month
Hands positioning accuracy	±3°

Features:

Bluetooth Low Energy

Activity tracker (step counter)

Sleep monitoring (sleep patterns)

Notifications (calls, messages)

Dynamic coaching (health tips)

Worldtimer

Smart alarms

Vibration motor

Activity data backup & restore

ECHELLE 10:1

DETAIL A
ECHELLE 15:1

DETAIL B
ECHELLE 15:1

 ω

2


Tolérances en μm
Tolérances : ± 30



Echelle 4:1		Dessiné	M. DOM	
		Date	26-04-2016	
		Matériau		
Fichier de mise en plan			FC-281-B23-MVT-02	
Fichier du modèle			FC-281-B23-MVT-02	
Répertoire				
N° dessin	MMT-281-L247-02		Format	A3

MOUVEMENT
MMT-281-L247


N° de Feuille	1	Nbr tot Feuilles	1	N° dessin	MMT-281-L247-02	Format	A3
---------------	---	------------------	---	-----------	-----------------	--------	----



Tolérances en μm



Echelle
5:1



Dessiné M. DSM

Date 13-04-2016

Matériau

Fichier de mise en plan

MMT281-L247-CAD-01

Fichier du modèle

MMT281-L247-CAD-01

Répertoire

CADRAN L247

N° de Feuille

1

Nbr tot Feuilles

1


N° dessin

CAD-L247-02-00

Format

A4


Example caseback :



Depending on country regulation, certification information must appear on the caseback (for example FCC, IC and Japan ID numbers in the drawing above).



Echelle
2,5:1



Dessiné	M. DSM
Date	28-04-2015
Matériau	


Fichier de mise en plan	S 1180G-01
-------------------------	------------

BOTTOM MARKING MOMT285-1

Fichier du modèle	S 1180G-01
-------------------	------------

Répertoire

Example of the dial of the watch



On the outer ring of the face, the call notification, the sleep tracker, the activity tracker and the message notification icons appear in their proper position on the ring.

The inner ring represents the percentage of the objectives set within the application.

The inner part of the dial must be made of plastic.