

### Product specifications:

Analog connected quartz movement

Caliber	G310
Movement diameter	31.0mm; 13 ¾"
Battery life	48 months*
Center hand-fitting	Height 1
Origin	Swiss Made
Jewels	0 (zero)

Reduced consumption in transport and presentation mode  
(consumption reduction of about 70%).

\* The estimated battery life is based on typical usage conditions with standard option settings. It may vary depending on the usage.



### Technical specifications:

Diameter	31.6mm
Fitting	31.0mm; 13 ¾"
Movement height	6.30mm
Push-piece height	1.75mm
Battery reference	CR3032
Battery life	4 years
Battery voltage	3V
Current consumption – average	16µA
Current consumption – maximum	2-3mA
Operating temperature	0-50°C
Maximum running deviation	±1.7 sec/day
Step Variability	±6°/month
Hands positioning accuracy	±3°


## Features:

Bluetooth Low Energy  
Activity tracker (step counter)  
Sleep monitoring (sleep patterns)  
Notifications (calls, messages)  
Dynamic coaching (health tips)  
Worldtimer  
Smart alarms  
Vibration motor  
Activity data backup & restore




COUPE A-A



ECHELLE 10:1




ECHELLE 2:1



Tolérance en  $\mu\text{m}$   
Tolérances générale  $\pm 30$



Echelle  
4:1



Dessiné	M. DSM
Date	27-04-2016
Matériau	


Fichier de mise en plan	FC-282-B26-MVT-01
-------------------------	-------------------

Fichier du modèle	FC-282-B26-MVT-01
-------------------	-------------------

Répertoire	
------------	--

N° de Feuille	1	Nbr tot Feuilles	1	N° dessin	MMT-281-G310	Format	A3
---------------	---	------------------	---	-----------	--------------	--------	----

MO0007.00



Tolérance en  $\mu\text{m}$   
Tolérances générale  $\pm 30$



CADRAN G310

Echelle  
4.000



Dessiné M. DSM

Date 27-Apr-16

Matériau

Fichier de mise en plan

FC-28-B26-CD-01

Fichier du modèle

FC-28-B26-CAD-01

Répertoire

N° de Feuille

1

Nbr tot Feuilles

1


N° dessin

CAD-G310-01-00

Format

A4


Example caseback :



Depending on country regulation, certification information must appear on the caseback (for example FCC, IC and Japan ID numbers in the drawing above).



Echelle  
2,5:1



Dessiné	M. DSM
Date	28-04-2015
Matériau	


Fichier de mise en plan	S 1180G-01
-------------------------	------------

BOTTOM MARKING MOMT285-1

Fichier du modèle	S 1180G-01
-------------------	------------

Répertoire

## Example of the dial of the watch



On the outer ring of the face, the call notification, the sleep tracker, the activity tracker and the message notification icons appear in their proper position on the ring.

The inner ring represents the percentage of the objectives set within the application.

The inner part of the dial must be made of plastic.